



SPECTRA ANALYTIC LABS

The Result You Can Trust

(AN ISO 9001:2015, 14001:2015 OHSAS 45001:2018 Certified & NABL Accredited Laboratory)

Plot No. 343/14, Krishna Colony, Sehatpur Faridabad, Haryana-121003

E-mail : care.spectra@gmail.com | website : www.spectraanalyticlabs.com | Ph: 9310207829, 9560653541

TEST REPORT

Name & Address of Customer		Test Report Number	F/07230/171001
Issued to, M/s. SNEHSANSKRITI SPICES LLP, 22-23, Shree Ram Market, Sector – 86, Greater Faridabad		Date of Report	22.07.2023
		Job Order Number	SAL/ F/07230/171001
		Sample Description	One Sample of Turmeric (Haldi) Powder
		Date of Sampling	17.07.2023
		Sampling Done by	Mr. Ajay, Lab Representative
Sample Received on	17.07.2023	Sample Quantity	100 gm
Analysis Started on	17.07.2023	Sample Packing	Poly pack
Analysis Completed on	22.07.2023	Sample Marking	Turmeric (Haldi) Powder

TEST RESULTS

SPICE SAMPLE ANALYSIS

S. No.	TEST PARAMETER	RESULT	PERMISSIBLE LIMIT	PROTOCOL/TEST METHOD
1.	Moisture, percent by weight	9.4	NMT 10.0 percent by weight	IS 1797:2017 / FSSAI MANUAL
2.	Total ash on dry basis, percent by weight	5.1	NMT 9.0 percent by weight	IS 1797:2017 / FSSAI MANUAL
3.	Ash insoluble in dilute HCL on dry basis, percent by weight	0.40	NMT 1.5 percent by weight	IS 1797:2017 / FSSAI MANUAL
4.	Colouring power expressed as curcuminoid content on dry basis, percent by weight	2.8	NLT 2.0 percent by weight	IS 1797:2017 / FSSAI MANUAL
5.	Total Starch, percent by weight	41.2	NMT 60.0 percent by weight	IS 1797:2017 / FSSAI MANUAL
6.	Test for lead chromate	Negative	Negative	IS 1797:2017 / FSSAI MANUAL
7.	Salmonella in 25 gm	Absent	Should be Absent	IS 5887 (Part 3) : 1999

NLT: Not Less Than; NMT: Not More Than; NA: Not Applicable

Remarks: The above tested parameters meet the Standard Limits as per Food Safety and Standards (Food Products Standards and Food Additives) Regulations, 2011.

END OF REPORT (Page 01 of 01)

K.R.
Analyst



AUTHORISED SIGNATORY

Note:

1. The results given above are related to the tested sample, as received & mentioned parameters. the customer asked for the above tests only
2. Responsibility of the Laboratory is limited to the invoiced amount only.